


PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Kia Silverbrook	Examiner:	Not yet assigned
Serial No.	Not yet assigned	Group Art Unit:	Not yet assigned
Filed:	Herewith	Docket No.	360040-18
Title:	INKJET PRINthead WITH NOzzLES		

CERTIFICATE UNDER 37 CFR 1.10
'Express Mail' mailing label number: EL585709556US
Date of Deposit: April 16, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service 'Express Mail Post Office To Addressee' service under 37 CFR 1.10 and is addressed to the Commissioner for Patents, Washington, D.C. 20231.

By: 
Name: Amber Stewart

PRELIMINARY AMENDMENT

Commissioner for Patents
Washington, D.C. 20231

Sir:

IN THE CLAIMS

Please cancel original claim 1 and add new claims 154-160 as follows:

154. (New) An inkjet printhead having a series of ink ejection nozzles for the ejection of ink, each of said nozzles interconnecting a nozzle chamber with an external atmosphere, each said nozzle having a first meniscus rim around which an ink meniscus normally forms, and an extended ink flow prevention rim spaced outwardly from said first meniscus rim and substantially encircling said first meniscus rim, arranged to prevent the flow of ink across the surface of said inkjet printhead.

155. (New) An inkjet printhead as claimed in claim 154 wherein said first meniscus rim and said extended ink flow prevention rim are spaced apart by a pit arranged to contain ink.

156. (New) An inkjet printhead as claimed in claim 154 wherein said ink flow prevention rim is substantially co-planar with said first meniscus rim.

157. (New) An inkjet printing arrangement as claimed in claim 154 wherein said ink flow prevention rim is formed from the same material as said first meniscus rim.

158. (New) An inkjet printing arrangement as claimed in claim 154 wherein said ink flow prevention rim and said first meniscus rim are formed utilizing chemical mechanical planarization.


159. (New) An inkjet printing arrangement as claimed in claim 154 wherein said ink flow prevention rim and said first meniscus rim are formed from PECVD TEOS.

160. (New) An inkjet printing arrangement as claimed in claim 154 wherein said ink flow prevention rim and said first meniscus rim are formed from silicon nitride.

REMARKS

Kindly examine the application based on the above claims.

Respectfully submitted,



Charles Berman
Reg. No. 29,249

Date: April 16, 2001

OPPENHEIMER WOLFF & DONNELLY LLP
2029 Century Park East
38th Floor
Los Angeles, CA 90067-3024
Phone: (310) 788-5000
FAX: (310) 788-5100

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

This paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" under 37 CFR § 1.10 Mailing Label No. EL585712475US

Applicant : Kia Silverbrook

Application No.:

Filed : April 10, 2001

Title : IMPROVEMENTS RELATING TO INKJET PRINTERS

Docket No. : 360040

Group/Div. :

Examiner :

PRELIMINARY AMENDMENT

Commissioner for Patents
Washington, D.C. 20231

2029 Century Park East, Suite 3800
Los Angeles, CA 90067-3024
April 10, 2001

Commissioner:

IN THE CLAIMS

Please delete claims 1 to 129 and insert new claims 130 to 137

SCANNED #

- 1 130. (New) An inkjet printhead having a series of nozzles for the ejection of ink wherein each
- 2 said nozzle has a rim formed by the deposition of a rim material layer over a sacrificial layer and a
- 3 subsequent planar removal of at least said rim material layer so as to form said nozzle rim.

- 1 131. (New) An inkjet printhead as claimed in claim 130 wherein said planar removal comprises
- 2 chemical - mechanical planarization of said rim material layer.

- 1 132. (New) An inkjet printhead as claimed in claim 131 wherein parts of said sacrificial layer are
- 2 also removed by said planar removal.

- 1 133. (New) An inkjet printhead as claimed in claim 130 wherein said planar removal process is
- 2 an etching process.

1 134. (New) An inkjet printhead as claimed in claim 130 wherein said rim material layer
2 comprises TEOS glass.


1 135. (New) An inkjet printhead as claimed in claim 130 wherein said rim material layer is
2 PECVD Si₃N₄.

1 136. (New) An inkjet printhead as claimed in claim 130 wherein said rim material layer is
2 MOCVD TiN.

1 137. (New) An inkjet printhead as claimed in claim 130 wherein said rim material layer is
2 ECR CVD TiN.

Respectfully submitted,

OPPENHEIMER WOLFF & DONNELLY, LLP.

By 
Charles Berman, Esq.
Reg. No. 29,249
310/788.5088

/ J:\FIRMS\keyboards\PAT PTO\AMEND PRE